




# ELO Hydraulic Valve Components Co., ...



## 60 mm x 110 mm x 22 mm NSK NU212EM JAPAN Bearing

Bearing No. NU212EM

NU212EM Bearing 2D drawings and 3D CAD models

Size	60x110x22 mm
Bore Diameter	60 mm
Outer Diameter	110 mm
Width	22 mm
d	60 mm
Fw	72 mm
D	110 mm
B	22 mm
C	22 mm
r min.	1,5 mm
r1 min.	1,5 mm
da min.	68 mm
Da max.	102 mm
db max.	70 mm
db min	68 mm
ra max.	1,5 mm
rb max.	1,5 mm
S	1,2 mm
Basic dynamic load rating (C)	97,5 kN
Basic static load rating (C0)	107 kN
(Grease) Lubrication Speed	6000 r/min
Category	Roller Bearings
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A



## ELO Hydraulic Valve Components Co., ...

Weight / Kilogram	0.95
EAN	0029176002236
Product Group	B04144
hidYobi	NU212EM
LangID	1
D_	110
Macha rpm	7500
B_	22
hidTable	ecat_NSCLDR
Oil rpm	6300
rb	1.5
mass	0.92
GRS rpm	5300
ra	1.5
db max	70
TSR rpm	6300
C0	107
DE_	100
Prod_Type3	CRB_SR_NU
da	68
DA_	14
Z_	16
D_a max	102
yobi	NU212EM
dd min	80
C_conv	97500
ALPHA_	0
SDM_	86
r	1.5
dc min	75
KBRG	4145
SBRG	2



## ELO Hydraulic Valve Components Co., ...

r1	1.5
DI_	72