



6326 Bearing 2D drawings and 3D CAD models

6326 KOYO Single-row deep groove ball bearings

Bearing No. 6326

Size	130x280x58 mm
Bore Diameter	130 mm
Outer Diameter	280 mm
Width	58 mm
d	130 mm
D	280 mm
B	58 mm
C	58 mm
r min.	4 mm
da min.	146 mm
Da max.	264 mm
ra max.	3 mm
Weight	15,1 Kg
Basic dynamic load rating (C)	229 kN
Basic static load rating (C0)	214 kN
(Grease) Lubrication Speed	2300 r/min
(Oil) Lubrication Speed	2700 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	KOYO
Minimum Buy Quantity	N/A
Weight / Kilogram	16.14
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1 ISO P0



ELO Hydraulic Valve Components Co., ...

Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	130MM Bore; 280MM Outside Diameter; 58MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.koyousa.com
Manufacturer Item Number	6326
Weight / LBS	35.55
Outer Race Width	2.283 Inch 58 Millimeter
Bore	5.118 Inch 130 Millimeter
Outside Diameter	11.024 Inch 280 Millimeter
Bearing No.	6326
r(min)	4
Cr	287
C0r	214
Cu	14.1
f0	13.6
Grease lub.	2300
Oil lub.	2700



ELO Hydraulic Valve Components Co., ...

da(min)	146
Da(max)	264
ra(max)	3
(Refer.)Mass(kg)	15.1